

DECLARATION OF ACCESSIBILITY TO THE ANDJOYS PLATFORM

TEST RESULTS

Compliance tests carried out on October 30, 2020 reveal that:

- 87.72% of the criteria of the General Accessibility Improvement Framework (RGAA) are respected.
- The average compliance rate of the online service is 96.43%.

Technology used to create the platform

- jQuery
- Bootstrap
- Amazon Cloud
- PHP (Avec le framework Drupal)
- Nodejs

User agents, assistive technologies, and tools used to verify accessibility

The web page tests were carried out with the following combinations of web browsers and screen readers:

Baseline used to check accessibility compatibility

User Agent	Assistive Technology
Firefox 69	NVDA 2019.2
Internet Explorer 11	JAWS 2018
Safari 12	VoiceOver

Pages of the site which have been subject to the conformity check

- Landing Page (user not logged in)
- Account creation (step 1)
- Account creation (step 2)
- Account creation (step 3)
- Connection
- Home Page (logged in user / language learned = French)
- Video Boosters catalog page
- Photo Vocabs catalog page
- Challenges
- Expressions learned
- Grammar Rules
- Monitoring progress
- Level tests
- Translation language
- Linguistic objectives
- My account
- My profile

FEEDBACK AND CONTACT

If you are unable to access content or a service, you can contact a manager of the platform to be directed towards an accessible alternative or obtain the content in another form.